








20mm worktop
thickness mark

5.0 kW/hr
17060 BTU/hr

5.0 kW/hr
17060 BTU/hr

	Gastype	Country
X	Natural gas / 17.2mbar/ 1/4psi	USA / CAN
	Propane/butane gas / 27.5mbar /0.40 psi	USA / CAN

Tulip Cooking - BARRINGTON TC0203 9-24mm worktop

See TCH.... type for **24-37**mm worktop thickness


Reference:

Commission:


Material: Polished stainless steel / Tolerances: sheet metal ± 1 mm, welded constructions ± 2 mm



Hole patern in the worktop




Tolerances +/- 1mm




Tulip Cooking - BARRINGTON TC0203 9-24mm worktop

Reference:

Commission:



Worktop BARRINGTON TC0203




Aluminum Mounting Plate TC0203

Top Edge TC0203 1-24mm/700kast/normal depth

Bottom Plate TC0203 1-24mm/700 kast/normal depth

Mouting Hook (2x)



Gas Pipe TC0203/204/205

Mounting Plate Clamps (1x)

Bottom Base Plate TC0203



Burner Bracket Defendi Wok (2x)

Tulip Cooking - BARRINGTON TC0203 9-24mm worktop



Reference:

Commission:

Grid Heights



Wok burner:
45 mm height = 5kW
40 mm height = 4kW



Rapid, Semi-rapid & Simmer burner all have the same height (40mm)